

Bei der SILVYN® MSK-M US handelt es sich um eine Multifunktions- Schlauch- Kabelverschraubung. Entwickelt wurde diese Verschraubung für Anwendungsfälle, bei denen sowohl die Leitung als auch der Schlauch gleichzeitig abgedichtet und zugentlastet werden müssen.



Material Basis Typ:

Körper: Messing vernickelt

Verschraubungs- Dichtung: CR / NBR

Schlauchdichtung: TPE

Typausführung: Aufbau wahlweise

SILVYN® MSK-M mit Schlauchdichtring

SILVYN® MSK-SC-M mit EMV-Feder

SILVYN® MSK-M mit DIX Mehrfacheinsatz

Schutzart:

IP 68 Kabelseitig

IP 40 mit SILVYN® AS, EDU-AS, EMC AS-CU

IP 65 mit SILVYN® AS-P


Temperaturbereich:

dynamisch: -25°C bis +100°C

statisch: -40°C bis +100°C

bei Montage nach EN 50 262

Norm Referenzen:




Artikel Nr.	Verschraubung	C	D
5550 6080	SILVYN® MSK-M12x1,5 AS	43,5	6,5
5550 6081	SILVYN® MSK-M16x1,5 AS	47	7
5550 6082	SILVYN® MSK-M20x1,5 AS	52,5	8,5
5550 6083	SILVYN® MSK-M25x1,5 AS	55,5	8
5550 6084	SILVYN® MSK-M32x1,5 AS	71,5	9
5550 6085	SILVYN® MSK-M40x1,5 AS	75,5	9
5550 6086	SILVYN® MSK-M50x1,5 AS	81	10
5550 6087	SILVYN® MSK-M63x1,5 AS	87	15

DATENBLATT	55506080
SILVYN® MSK-M US	gültig ab : 26.03.2009

Zuordnungstabellen: Verschraubung zu Schlauch

SILVYN® MSK-M mit Schlauchdichtring

Verschraubung	 SILVYN® AS
SILVYN® MSK-M 12x1,5 AS	AS 7
SILVYN® MSK-M16x1,5 AS	AS 9
SILVYN® MSK-M20x1,5 AS	AS 11
SILVYN® MSK-M25x1,5 AS	AS 16
SILVYN® MSK-M32x1,5 AS	AS 21
SILVYN® MSK-M40x1,5 AS	AS 29
SILVYN® MSK-M50x1,5 AS	AS 36
SILVYN® MSK-M63x1,5 AS	AS 48

Verschraubung	 SILVYN® EDU-AS	 SILVYN® AS-P	 SILVYN® EMC AS-CU
SILVYN® MSK-M 12x1,5 EDU	EDU-AS 7	AS-P 7	EMC AS-CU 7
SILVYN® MSK-M16x1,5 EDU	EDU-AS 9	AS 9	EMC AS 9
SILVYN® MSK-M20x1,5 EDU	EDU-AS 11	AS 11	EMC AS 11
SILVYN® MSK-M25x1,5 EDU	EDU-AS 16	AS 16	EMC AS 16
SILVYN® MSK-M32x1,5 EDU	EDU-AS 21	AS 21	EMC AS 21
SILVYN® MSK-M40x1,5 EDU	EDU-AS 29	AS 29	EMC AS 29
SILVYN® MSK-M50x1,5 EDU	EDU-AS 36	AS 36	EMC AS 36
SILVYN® MSK-M63x1,5 EDU	EDU-AS 48	AS 48	EMC AS 48

SILVYN® MSK-SC-M mit EMV-Feder

Verschraubung	 SILVYN® AS
SILVYN® MSK-SC-M 12x1,5 AS	AS 7
SILVYN® MSK -SC-M 16x1,5 AS	AS 9
SILVYN® MSK -SC-M 20x1,5 AS	AS 11
SILVYN® MSK -SC-M 25x1,5 AS	AS 16
SILVYN® MSK -SC-M 32x1,5 AS	AS 21
SILVYN® MSK -SC-M 40x1,5 AS	AS 29
SILVYN® MSK -SC-M 50x1,5 AS	AS 36

DATENBLATT	55506080
SILVYN® MSK-M US	gültig ab : 26.03.2009

Verschraubung	 SILVYN® EDU-AS	 SILVYN® AS-P	 SILVYN® EMC AS-CU
SILVYN® MSK-SC-M 12x1,5 EDU	EDU-AS 7	AS-P 7	EMC AS-CU 7
SILVYN® MSK-SC-M16x1,5 EDU	EDU-AS 9	AS 9	EMC AS 9
SILVYN® MSK-SC-M20x1,5 EDU	EDU-AS 11	AS 11	EMC AS 11
SILVYN® MSK-SC-M25x1,5 EDU	EDU-AS 16	AS 16	EMC AS 16
SILVYN® MSK-SC-M32x1,5 EDU	EDU-AS 21	AS 21	EMC AS 21
SILVYN® MSK-SC-M40x1,5 EDU	EDU-AS 29	AS 29	EMC AS 29
SILVYN® MSK-SC-M50x1,5 EDU	EDU-AS 36	AS 36	EMC AS 36

weitere Varianten mit Mehrfachdichteinsatz auf Anfrage

inklusive SILVYN® US-AS,

SILVYN® US-EDU-AS

