


ALLGEMEINE ANGABEN

Produktbereich : Kopfschutz
Produktgruppe : Augen- und Gesichtsschutz, Schweißerschutz
Produktreihe : Brillen
Produktlinie : Einscheibenbrillen
Frühere Markenbezeichnung : PULSAFE
Länder
 Zentraleuropa (Deutschland, Österreich, Schweiz, Belgien, Luxemburg, Niederlande)
Hauptbranchen :
 Verwaltung

Einsatzbereiche :

General use and protection against impact (45m/s)
 Mechanical work (grinding, turning, milling)

PRODUKTEIGENSCHAFTEN
Eigenschaften :

XC for X-tra Coverage, X-tra Comfort, X-tra Control

X-tra Coverage : Exceptional lens

9 base-curved high coverage lens

Vorteile :

It provides a total wraparound coverage & assure exceptional peripheral vision along with complete protection.
 The 13 different lenses offer a wide choice and a solution for every application.

Eigenschaften :
X-tra Control : Adjustability

Adjustable temples & lenses with flexible nosepiece
 Extra flexible frame

Easily replaceable lenses : they can be changed easily without replacing the entire frame for a longer product life and cost savings.

Vorteile :

It protects from the top of the eye to the bottom with no gaps.
 It fits a variety of faces, including men & women and feels like made-to-order
 It guarantees a perfect fit.

Eigenschaften :
X-tra Comfort : Multi-Material Technology - MMT

Ultra-soft two-shot material on any part of the frame in contact with the face or head (brow, nosebridge, and temples)

Vorteile :

All pressure points are relieved for exceptional all-day comfort.

TECHNISCHE BESCHREIBUNG

Typ :

Brillen

Farbe Sichtscheibe :

Clear

Beschichtung Sichtscheibe :

FogBan

Material Sichtscheibe :

Polycarbonate

Farbe Rahmen :

Blue

Material Rahmen :

Plastic

ZUSÄTZLICHE INFORMATIONEN

EAN-Code :

7312550110270

TECHNISCHE SPEZIFIKATIONEN UND NORMEN

Europäische Richtlinien :

89/686/EEC

CE-Kategorie PSA* : Kategorie 2

Normen :

EN166 / EN170

EG-Baumusterprüfungsbescheinigung :

EC1144

Testbericht :

0194

Testinstitut :

INSPEC

*PSA : Persönliche Schutzausrüstung

EG-KONFORMITÄTSBESCHEINIGUNG

Der Hersteller oder der ihn rechtlich vertretende, in der Europäischen Union ansässige Lieferant:

Sperian Protection Europe

erklärt, dass die nachfolgend aufgelisteten Ausrüstungen nicht unter die Bestimmungen der Richtlinie 89/686/EWG fallen:

Bezeichnung: XC Blue, Clear FogBan Lens

Art.-Nr.: 1011027

Norm(en): EN166 EN170

Für diese Persönliche Schutzausrüstung gilt das oben genannten CE-Zertifikat:

0194

Ausgestellt von:

INSPEC

Upper Wingbury Courtyard

Wingrave

HP22 4LW Aylesbury

United Kingdom

Ausgestellt in , am 07/31/2007

Durch:

Produktbereich: Kopfschutz

EC TYPE-EXAMINATION CERTIFICATE: 1144

Product description: -

Eye Protection – Eyeshield

Product identification: -

Sperian XC

Manufacturer:

Sperian Eye and Face Protection Inc.
10 Thurber Boulevard
Smithfield
RI 02917
U S A

When assessed and examined against harmonised standards EN166:2001 are found to be in conformity with Council Directive 89/686/EEC and associated amendments, relating to personal protective equipment.

Authorised EU Representative: -

Sperian Protection Europe (SAS)
ZI Paris Nord II
33 Rue des Vanesses, BP 50 288
95958 Roissy CDG cedex
France

Signed

Date: 15th October 2003

K J Warren, Manager, Certification Services

For and on behalf of INSPEC International Ltd.
56 Leslie Hough Way, Salford, Gt Manchester M6 6AJ
England (Notified Body No: 0194)



For terms and conditions of issue, see page 2

Terms and Conditions

Reference Documents: -

- | | | | |
|------|----------------|---|--|
| i) | Test Report | - | INSPEC 03.08.22 – 27, 03.10.13, 04.02.34,
04.06.03, 04.11.55 – 60, 05.04.62, 06.11.36 |
| ii) | Technical File | - | TF/1144 & TF/0930 |
| iii) | Quality Plan | - | Sperian Eye & Face Protection, Inc QP EN 166 |

Conditions attached to the issue of this certificate:

- i) Marking and instructions have been assessed in the English language only. It is the Manufacturers/Authorised Representatives responsibility to obtain and supply language versions acceptable to the country where the product is to be sold.
- ii) Any changes to the product, technical file or quality manual/quality plan shall be immediately notified to INSPEC.
- iii) The Manufacturer/Authorised Representative shall comply at all times with INSPEC's Regulations governing CE Product Certification.
- iv) This Certificate remains the property of INSPEC and may be withdrawn if any of the conditions attached to its issue are not complied with.



CERTIFICATION INDEX

Item	Issued	Status	Amendment
Page 1 of 2	15/10/03	Withdrawn	-
Page 2 of 2	15/10/03	Withdrawn	-
Page 2 of 2, Amendment: ONE	06/04/04	Withdrawn	Add green shade 2.5
Page 2 of 2, Amendment: TWO	15/06/04	Withdrawn	Add report 04.06.03
Page 2 of 2, Amendment: THREE	30/11/04	Withdrawn	Add report 04.11.55-60
Page 2 of 2, Amendment: FOUR	03/05/05	Withdrawn	Add report 05.04.62
Schedule ONE	15/10/03	Withdrawn	-
Schedule TWO	06/04/04	Withdrawn	Add green shade 2.5
Schedule THREE	15/06/04	Withdrawn	Add 2C-1.2 to clear lenses
Schedule FOUR	30/11/04	Withdrawn	Add Cappucino, Welding, TCG
Schedule FIVE	03/05/05	Withdrawn	Add 1.7/HC
Schedule SIX	21/07/06	Withdrawn	Add GISS & Glendale logos
Certificate, pages 1 – 4	15/11/06	Withdrawn	'K' added to SKU 101 0950
Certificate, pages 1 – 4	02/07/08	Withdrawn	Name change to SPERIAN & removal of K against all models except 1016076
Certificate, pages 1 – 4	06/08/08	Valid	'K' added to SKU 101 2100



CERTIFICATION SCHEDULE

Product:

SPERIAN XC™ eyeshield, navy blue or black frame, Duo-Flex temple

Model	Optical Class	Lens Type	Scale	Options	Logo
101 0950	1	Clear HC	2C-1.2	1 FT	SPERIAN
101 1027	1	Clear Fogban	2C-1.2	1 FT	SPERIAN
101 1025	1	TSR Gray AF	5-2.5	1 FT	SPERIAN
101 1022	1	Silver mirror	5-3.1	1 FT	SPERIAN
101 1026	1	TSR Gray HC	5-2.5	1 FT	SPERIAN
101 1020	1	Shade 5 HC	5	1 FT	SPERIAN
101 1024	1	Amber HC	2-1.2	1 FT	SPERIAN
101 1023	1	I-O silver	5-1.7	1 FT	SPERIAN
101 1021	1	Shade 3.0 HC	3.0	1 FT	SPERIAN
101 2100	1	Green 2.5, 6-2.5 HC	2.5, 5-2.5/6-2.5	1 FTK	SPERIAN
101 2910	1	TCG/HC	5-3.1	1 FT	SPERIAN
101 2877	1	1.7/HC	1.7	1 FT	SPERIAN
101 2879	1	Cappucino AF	5-2.5	1 FT	SPERIAN
101 2878	1	Cappucino HC	5-2.5	1 FT	SPERIAN
101 2902	1	Welding 6.0	6.0	1 FT	SPERIAN
101 2901	1	Welding 4.0	4.0	1 FT	SPERIAN
101 2900	1	Amber AF	2-1.2	1 FT	SPERIAN
101 6076	1	Clear HC	2-1.2	1 FTK	SPERIAN
101 5564	1	Clear Fogban	2C-1.2	1 FT	GISS
101 5565	1	TSR Gray AF	5-2.5	1 FT	GISS
31-80133	1	Shade 3.0 HC	3.0	1 FT	Glendale
31-80134	1	Shade 5 HC	5	1 FT	Glendale

Key:-

- 1 - optical class
- FT - High speed particles at extreme temperature, LOW energy (EN166:2001 clause 7.2.8)
- K - Resistance to damage by fine particles (EN166:2001 clause 7.3.1)

Additional replacement lenses

Model	Lens Type
1011013	Clear HC
1011015	Clear Fogban
1011016	TSR Gray HC
1011017	TSR Gray Fogban
1011012	Silver Mirror
1011018	HDL Yellow HC
1011019	I/O Silver
1015250	Shade 1.7 HC
1011010	Shade 3.0 HC
1010949	Shade 5 HC



CERTIFICATION/TEST



DATE RECEIVED: 7/23/08

PRODUCT: Xc

CERTIFICATION:

SIGNATURE

John P. ...
DIRECTOR QUALITY SYSTEMS ENHANCEMENT
DIRECTOR R & D: *John P. ...*

