

**ALLGEMEINE ANGABEN**

Produktbereich : Kopfschutz
Produktgruppe : Augen- und Gesichtsschutz, Schweißerschutz
Produktreihe : Brillen
Produktlinie : Einscheibenbrillen
Frühere Markenbezeichnung : PULSAFE
Länder
Zentraleuropa (Deutschland, Österreich, Schweiz, Belgien, Luxemburg, Niederlande)
Hauptbranchen :
Verwaltung

Einsatzbereiche :

General use and protection against impact (45m/s)
Mechanic work: grinding, turning, milling
Protection against fogging
Protection against arc electric shot (100% UV filtration)

PRODUKTEIGENSCHAFTEN**Eigenschaften :****The best you've ever seen!**

Classic and simple in appearance but highly sophisticated in design.
Only Pulsafe Millennia offers you Sensitive Tension Design and Parallel Vision Control

Vorteile :

A balanced fit and a greater visual comfort

Eigenschaften :

Balance and lightness of frame

Vorteile :

A virtually weightless feel

Eigenschaften :

Adjustable, breakaway Flexicord retainer

Vorteile :

Added security and convenience in the active work environment

Eigenschaften :

Unique 9 base curved lens design

Vorteile :

Excellent optical qualities and complete protection

TECHNISCHE BESCHREIBUNG

Typ :
Brillen

Farbe Sichtscheibe :
Clear

Beschichtung Sichtscheibe :
FogBan

Material Sichtscheibe :
Polycarbonate

Ersatzscheibe :
No

Farbe Rahmen :
Black

Material Rahmen :
Nylon

Gewicht :
32g

TECHNISCHE SPEZIFIKATIONEN UND NORMEN

Europäische Richtlinien :
89/686/EEC

CE-Kategorie PSA* : Kategorie 2

Normen :
EN170 / EN166

Qualitätssicherung :
ISO 9001 / 2000

EG-Baumusterprüfungsbescheinigung :
1131

Testbericht :
0194

Testinstitut :
INSPEC

*PSA : Persönliche Schutzausrüstung

EG-KONFORMITÄTSBESCHEINIGUNG

Der Hersteller oder der ihn rechtlich vertretende, in der Europäischen Union ansässige Lieferant:

Sperian Protection Europe

erklärt, dass die nachfolgend aufgelisteten Ausrüstungen nicht unter die Bestimmungen der Richtlinie 89/686/EWG fallen:

Bezeichnung: MILLENNIA Black, Clear FogBan Lens

Art.-Nr.: 1002781

Norm(en): EN170 EN166

Für diese Persönliche Schutzausrüstung gilt das oben genannten CE-Zertifikat:

0194

Ausgestellt von:

INSPEC

Upper Wingbury Courtyard

Wingrave

HP22 4LW Aylesbury

United Kingdom

Ausgestellt in , am 08/07/2003

Durch:

Produktbereich: Kopfschutz

INSPEC

CE

EC TYPE-EXAMINATION CERTIFICATE: 1131

Product description: -

Personal Protective Spectacles

Product identification: -

SPERIAN MILLENIA

Manufacturer:

Sperian Eye and Face Protection Inc.
10 Thurber Boulevard
Smithfield
RI 02917
U S A

When assessed and examined against harmonised standard EN166:2001 are found to be in conformity with Council Directive 89/686/EEC and associated amendments, relating to personal protective equipment.

Authorised EU Representative: -

Sperian Protection Europe (SAS)
ZI Paris Nord II
33 Rue des Vanesses, BP 50 288
95958 Roissy CDG cedex
France

Signed

Date: 7th August 2003

K J Warren, Manager, Certification Services

For and on behalf of INSPEC International Ltd.

56 Leslie Hough Way, Salford, Gt Manchester M6 6AJ
England (Notified Body No: 0194)

For terms and conditions of issue, see page 2



Terms and Conditions

Reference Documents: -

- | | | | |
|------|----------------|---|--|
| i) | Test Report | - | INSPEC Laboratories
99.01.33A, 99.03.67, 99.03.81, 99.03.84,
99.04.24/25, 99.04.53, 99.05.02, 99.05.33,
99.07.05, 99.07.67, 00.04.28, 00.04.29, 00.09.34,
03.07.13, 07.03.26, 08.08.30, 08.08.31, 08.08.32
INRS Y 382 10 02 |
| ii) | Technical File | - | TF/1131 |
| iii) | Quality Plan | - | Sperian Eye & Face Protection, Inc QP EN 166 |

Conditions attached to the issue of this certificate:

- i) Marking and instructions have been assessed in the English language only. It is the Manufacturers/Authorised Representatives responsibility to obtain and supply language versions acceptable to the country where the product is to be sold.
- ii) Any changes to the product, technical file or quality manual/quality plan shall be immediately notified to INSPEC.
- iii) The Manufacturer/Authorised Representative shall comply at all times with INSPEC's Regulations governing CE Product Certification.
- iv) This Certificate remains the property of INSPEC and may be withdrawn if any of the conditions attached to its issue are not complied with.



CERTIFICATION INDEX

Item	Status	Issued	Amendment
Page 1 of 1	Withdrawn	07/08/03	
Page 2 of 2	Withdrawn	07/08/03	
Schedule ONE	Withdrawn	07/08/03	
Schedule TWO	Withdrawn	26/07/05	To add TSR Gray Fogban
Schedule THREE	Withdrawn	21/07/06	Add logo WAHLEN FUTURE
Certificate, pages 1 – 4	Withdrawn	12/10/06	Add 7 replacement lenses
Pages 1 – 4	Withdrawn	22/03/07	Allocation of K option changed following new testing, 07.03.26
Pages 1 – 4	Valid	01/09/08	Addition of Partizanske as a manufacturing site for assembling the spectacles



CERTIFICATION SCHEDULE

Style: MILLENNIA

Model	Frame Number	Lenses	Filter Scale	Optical Class	Options ⁽¹⁾	Logo
1000001	Black	Clear	2 - 1.2	1	F K	SPERIAN
1000002	Black	Gray	2-2.5, 5 - 2.5	1	F K	SPERIAN
1000003	Black	HDL Yellow	2 - 1.2	1	F K	SPERIAN
1000004	Black	I/O Silver	2 - 1.7, 5 - 1.7	1	F	SPERIAN
1000005	Black	Silver Mirror	2 - 3, 5 - 3.1	1	F	SPERIAN
1002781	Black	Clear Fog-ban	2 - 1.2	1	F	SPERIAN
1002782	Black	TSR Gray Fog-ban	2 - 2.5, 5 - 2.5	1	F	SPERIAN
1005212	Black	HDL/Fogban	2 - 1.2	1	F	SPERIAN
1006405	Black	Green	3	1	F	SPERIAN
1006406	Black	Green	5	1	F	SPERIAN
1000006	Blue	Clear	2 - 1.2	1	F K	SPERIAN
1002783	Blue	Clear Fog-ban	2 - 1.2	1	F	SPERIAN
1000008	Burgundy	Clear	2 - 1.2	1	F K	SPERIAN
1000009	Silver	Clear	2 - 1.2	1	F	SPERIAN
1000010	Silver	Silver Mirror	2 - 3, 5 - 3.1	1	F	SPERIAN
1002802	Blue	Clear/ARCO	2 - 1.2	1	F	SPERIAN
1005288	Black	Clear / Wurth	2 - 1.2	1	F	SPERIAN
1005289	Black	Gray / Wurth	2 - 2.5, 5 - 2.5	1	F	SPERIAN
1005311	Black	HDL / Wurth	2 - 1.2	1	F	SPERIAN
1014361	Black	Clear	2 - 1.2	1	F	WAHLEN FUTURE
1014363	Black	Gray	2-2.5, 5 - 2.5	1	F	WAHLEN FUTURE
1014364	Black	HDL Yellow	2 - 1.2	1	F	WAHLEN FUTURE

Replacement Lenses

1000011	Clear	2-1.2	1	F
1000012	Gray	2-2.5, 5-2.5	1	F
1000013	HDL	2-1.2	1	F
1000014	I/O Silver	2 - 1.7, 5 - 1.7	1	F
1000015	Silver Mirror	2 - 3, 5 - 3.1	1	F
1002787	Clear Fogban	2 - 1.2	1	F
1002788	Gray Fogban	2-2.5, 5 - 2.5	1	F

⁽¹⁾ Key:

- F = high speed particles, low energy
- K = resistance to surface damage by fine particles



CERTIFICATION/TEST REPORT RECEIPT FORM

DATE RECEIVED: 7/17/08

PRODUCT: Millexia

CERTIFICATION TEST REPORT

SIGNATURES

Q.A. MANAGER

[Signature]

DIRECTOR QUALITY

[Signature]

DIRECTOR R & D:

[Signature]

